

07/07/00
JCS78 U.S. PTO
Frederick P. Fish
1855-1930

W.K. Richardson
1859-1951

07-10-00
FISH & RICHARDSON P.C.

225 Franklin Street
Boston, Massachusetts
02110-2804

Telephone
617 542-5070

Facsimile
617 542-8906

Web Site
www.fr.com

July 7, 2000

Attorney Docket No.: 09150-012001

Box Patent Application
Commissioner for Patents
Washington, DC 20231

JCS42 U.S. PTO
09/612635
07/07/00

Presented for filing is a new original patent application of:

Applicant: Santa Wiryaman and David Romrell

Title: **BANDWIDTH MANAGEMENT SYSTEM**

Enclosed are the following papers, including those required to receive a filing date under 37 CFR 1.53(b):

	Pages
Specification	13
Claims	8
Abstract	1
Declaration	2
Drawing(s)	7

Enclosures:

- New disclosure information, including:
 - Information disclosure statement, 1 pages.
 - PTO-1449, 1 pages.
 - References, 9 items.
- Small entity statement. This application is entitled to small entity status.
- Postcard.

Basic filing fee

\$345

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. EL266440269US

I hereby certify under 37 CFR §1.10 that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231.

July 7, 2000
Date of Deposit

Samantha Bell
Signature

Samantha Bell
Typed or Printed Name of Person Signing Certificate

BOSTON
DALLAS
DELAWARE
NEW YORK
SAN DIEGO
SILICON VALLEY
TWIN CITIES
WASHINGTON, DC

FISH & RICHARDSON P.C.

Commissioner for Patents

July 7, 2000

Page 2

Total claims in excess of 20 times \$9	\$207
Independent claims in excess of 3 times \$39	\$0
Fee for multiple dependent claims	\$0
Total filing fee:	\$552

A check for the filing fee is enclosed. Please apply any other required fees or any credits to deposit account 06-1050, referencing the attorney docket number shown above.

This application claims the benefit under Title 35, United States Code, Section 119(e)(1) of United States provisional application Serial No. 60/171,321, filed December 21, 1999, which is currently pending the United States Patent and Trademark Office.

If this application is found to be incomplete, or if a telephone conference would otherwise be helpful, please call the undersigned at (617) 542-5070.

Kindly acknowledge receipt of this application by returning the enclosed postcard.

Please send all correspondence to:

ERIC L. PRAHL
Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110-2804

Respectfully submitted,



Kenneth F. Kozik
Reg. No. 36,572
Enclosures
KFK/dmm
20072523.doc

Applicant or Patentee: Santa Wirvaman and David A. Romrell
 Serial or Patent No.: Not yet assigned
 Filed or Issued:
 For: Bandwidth Management System

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) and 1.27(c)) — SMALL BUSINESS CONCERN

I hereby declare that I am

- ☐ the owner of the small business concern identified below:
☒ an official of the small business concern empowered to act on behalf of the concern identified below:

Name of Small Business Concern: Sitara Networks
 Address of Small Business Concern: 60 Hickory Drive, 3rd Floor, Waltham, Massachusetts 02154

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.802, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled by inventor(s) described in:

- ☐ [X] the specification filed herewith.
☐ application serial no. __, filed __.
☐ patent no. __, issued __.

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e). *NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

Full Name: _____

Address: _____

☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status when any new rule 53 application is filed or prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent on which this verified statement is directed.

Name:	Manickam Sridhar
Title:	CHIEF TECHNOLOGY OFFICER
Address:	60 Hickory Drive, Waltham, Massachusetts 02451

Signature: _____

Date: 7/6/00

[illegible]

Bandwidth Management System

EL 266440269 US

Bandwidth Management System

CLAIM OF PRIORITY

This application claims priority from co-pending provisional application Serial No. 60/171,321, filed on December 21, 1999, which is incorporated by reference herein.

BACKGROUND

This invention relates generally to bandwidth management systems.

Bandwidth management plays a critical part in traffic management of packet networks. Poor bandwidth management can result in congestion, packet loss, and application performance degradation and thus, affect the overall performance of a network. Bandwidth generally refers to the transmission capacity of a computer channel or communications line or bus, usually stated in bits per second (bps). Bandwidth indicates the theoretical maximum capacity of a connection, but as the theoretical bandwidth is approached, negative factors such as transmission delay can cause deterioration in quality.

A type of bandwidth management utilizes Class-Based Queuing (CBQ). CBQ provides mechanisms to partition and share a link bandwidth using hierarchically structured classes. CBQ provides a methodology for classifying packets and queuing them according to criteria defined by an administrator to provide differential forwarding behavior for each traffic class. Packets are classified into a hierarchy of classes based on any combination of a set of matching criteria, such

as IP address, protocol, and application type. Each class is assigned a bandwidth and a set of priorities.

SUMMARY

5 In an aspect, the invention features a method of managing bandwidth including receiving packets on an input port, classifying the packets in a classification engine, processing the packets in a processing engine, queuing the packets in a queuing engine, and scheduling the packets on an output port.

10 In another aspect, the invention features a method of managing bandwidth including classifying network packets according to traffic types for placement in class queues, generating parent classes for each class, allocating parent bandwidths to the parent classes, assigning parent priorities to the parent classes, generating sub-parent classes for each
15 parent class and providing a minimum bandwidth to the sub-parent classes.

One or more of the following features may also be included: A policy manager may provide parameter input for
20 processing and queuing. Parameters may include class bandwidth and class priority.

Embodiments of the invention may have one or more of the following advantages:

The bandwidth management system enhances classification
25 through hashing to avoid the cost of performing a linear search of class filters for each packet.

The system provides a mechanism to change the Type Of Service (TOS) value of all packets classified to a particular class to enable matching packets with underlying applications.

The system provides support for specifying a guaranteed minimum bandwidth for a class by making use of the hierarchical nature of class-based queuing (CBQ) classes.

Admission control, working in conjunction with minimum guaranteed bandwidth, provides a limit to the number of simultaneous flows in a class.

The bandwidth management system enhances CBQ with TCP traffic shaping to enhance fairness among the TCP flows in a class, and to reduce the likelihood of the packets being dropped from the class queue.

The details of one or more embodiments of the invention are set forth in the accompanying drawings and the description below. Other features, objects, and advantages of the invention will be apparent from the description and drawings, and from the claims.

DESCRIPTION OF DRAWINGS

The foregoing features and other aspects of the invention will be described further, in detail, in the accompanying drawings, in which:

FIG. 1 is a block diagram of a network.

FIG. 2 is a block diagram of a bandwidth management system of FIG. 1.

FIG. 3 is a flow diagram of a classification process residing in the bandwidth management system.

FIG. 4 is a block diagram of a processing system residing in the bandwidth management system.

FIG. 5 is a flow diagram of a rate shaping process residing in the bandwidth management system.

5 FIG. 6 is a flow diagram of a session bandwidth process residing in the bandwidth management system.

FIG. 7 is a flow diagram of an admission control process residing in the bandwidth management system.

10 Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION

Referring to FIG. 1, a network 10 includes a local area network (LAN) 12 and a wide area network (WAN) 14 connected to a bandwidth management system 16. The bandwidth management system 16 processes network traffic originating from the LAN 12 and WAN 14. More specifically, the bandwidth management system 16 manages: LAN traffic destined for the LAN 12, LAN traffic destined to the WAN 14, and WAN traffic destined for the LAN 12.

20 Referring to FIG. 2, the bandwidth management system 16 (of FIG. 1) includes an input port 30 and an output port 32 connected to a bandwidth management engine 34. Network packets (not shown) arriving through the input port 30 enter a classification engine 36. Classified packets leave the
25 classification engine 36 and enter a processing system 38. Processed packets leave the processing system 38 and enter a queuing engine 40 for scheduling out the output port 32. The

bandwidth management system 16 may receive input from a policy manager 42. The policy manager 42 is an input device that is able to provide a bandwidth and a priority to the bandwidth management system 16. Receipt of a bandwidth and priority
5 from the policy manager 42 automatically sets (1) class parameters utilized in the processing system 38 and the queuing engine 40, such as bandwidth, priority, burst, scheduling time, and (2) classification criteria utilized in the classification engine 36 (more fully described below).

10 In an embodiment, the LAN 12 and WAN 14 of FIG. 1 have input and output ports. In this embodiment, there are two bandwidth management systems 16, one for the LAN to WAN direction, and the other for the WAN to LAN direction. The two systems share a common policy manager 42.

15 Referring to FIG. 3, a classification process 50 residing in the classification engine 36 includes receiving 52 network packets. From each network packet, a 5-tuple is obtained 54. Each 5-tuple includes attributes found in network packets. Specifically, the 5-tuple is a combination of destination
20 address, destination port, source address, source port and protocol. A hash function is applied 56 to generate a hash key k based on the 5-tuple. The k^{th} list in the hash table is searched 57 for a hash entry that matches the packet's 5-tuple. A determination 58 is made whether such hash entry is
25 found. If the hash entry is not found, the process 50 sequentially searches 60 the filter database for a match of the 5-tuple. A new hash entry is generated 62, containing the

packet's 5-tuple and the class associated with the found filter, and the network packet assigned 64 to the found class. If a hash entry is found, the process 50 assigns 64 the packet to the class associated with the hash entry. Classified
5 packets are routed 66 to the processing system 38 for further processing.

In an embodiment, the hash function referred to above returns a key, which is an index to a hash table.

Hash_table[key] includes a list of hash entries containing:

10 the entry's source address (src), source port (src_port), destination address (dst), destination port (des_port), protocol, origin, and a class pointer. The hash entry search iterates on the Hash_table[key] list, searching for a hash entry that matches the packet's src, src_port, dst, dst_port,
15 protocol, and origin. If there is a match, the class pointer of the matched hash entry points to the designated class for this packet. If there is no match, than it goes through the filter table looking for a match.

Referring to FIG. 4, the processing system 38 includes a
20 rate shaping engine 80, a TOS engine 82, a session bandwidth engine 86, and an admission control engine 88. Not all packet processing needs all engines 80-88. Each of the engines 80-88 may be dynamically added or removed from the processing system 38 as user requirements change.

25 A type of service (TOS) field in an IP network packet is used to set precedence for the packet. The TOS field is used by different types of applications, such as differentiated

services and multi protocol label switching (MPLS) routers capable of mapping the differentiated services code point to MPLS labels. At present there is no consistent definition of TOS values among these applications. The TOS engine 82 provides a mechanism to change the TOS value of all packets classified to a particular class. Rather than complying with a specific application, the user of the TOS engine 82 has the ability to change the TOS value to match with any underlying application. A new TOS value and a mask are supplied to change specific bits in the TOS field. It is the responsibility of the user of the TOS engine 82 to match the TOS setting to suit his or her purposes.

Transmission Control Protocol (TCP) uses a sliding window flow-control mechanism to increase throughput over wide area networks. TCP allows the sender to transmit multiple packets before it stops and waits for an acknowledgment (ACK). The sender does not have to wait for an ACK each time a packet is sent. The sender then *fills the pipe* and waits for an ACK before sending more data. The receiver not only acknowledges that it got the data, but advertises how much data it can now handle, that is, it's window size. This is done using the *Window* field. The sender is then limited to sending no more than a value of Window bytes of unacknowledged data at any given time. The receiver sets a suitable value for the Window based on the amount of memory allocated to the connection for the purpose of buffering data.

Queuing is important to network traffic management. Systems utilizing class-based queuing (CBQ), for example, exhibit competition for bandwidth in each CBQ class. Given the bursty nature of TCP connections, a connection can be "starved" by a large burst from other connections. Further, a large burst from a connection may also cause packets (from this or other connections) to be dropped from a class queue, which has a limited size. The processing system 38 enhances CBQ by including a TCP traffic shaping (also known as rate shaping) process in the TCP rate-shaping engine 80. The TCP rate-shaping engine 80 minimizes the likelihood of packets being dropped from the class queue, and enhances fair allocation of the queue among multiple connections with different levels of burstiness. TCP rate shaping is applied to all TCP connections as a secondary means for bandwidth management.

To control burst, the TCP rate-shaping engine 80 reduces the size of the burst by reducing the advertised window size that is sent by the receiver in two ways depending on whether the class assigned to the packet may borrow.

When the class cannot borrow, i.e., its bandwidth allocation is static, the rate shaping engine uses the formula $C = B / (n)(D)$, where C is the capacity of the class, B is the class bandwidth, n is the number of concurrently active connections, and D is the estimate of the round trip time of the connection. The reduced window size is then set to C

rounded up to be a multiple of the connection maximum segment size (MSS), if this is less than the original advertised window size, or left unchanged otherwise. D is obtained from running a weighted average of round trip time samples made throughout the lifetime of a TCP connection.

When a class can borrow excess bandwidth from its parent, the effective bandwidth for this class might exceed its class bandwidth. Therefore, if the TCP rate-shaping engine 80 reduces the window size according to the class bandwidth, it might potentially limit the borrowing ability of this class.

For the above reason, when a class can borrow, the TCP rate shaping engine 80 reduces the advertised window size using the formula $C = B' / (n) (D)$, where B' is the maximum of class bandwidth and burst bandwidth. The burst bandwidth of a class is the maximum amount of bandwidth this class can borrow.

Referring to FIG. 5, a rate shaping process 100 residing in the rate-shaping engine 80 includes receiving 102 a packet. A determination 104 is made whether class borrowing is enabled for the class assigned to the packet. If class borrowing is disabled, the advertised window size is set 106 to a value calculated by the formula $C = B / (n) (D)$, where B is the class bandwidth, n is the number of currently active connections, and D is the estimate of the round trip time of the connection. If class borrowing is enabled, the advertised window size is set 108 to a value calculated by the formula C

= $B' / (n)(D)$, where B' is the maximum of class bandwidth and burst bandwidth.

As mentioned above, general class base queuing (CBQ) provides a mechanism to classify connections to a particular class and pre-allocate an aggregate bandwidth for this class. Connections classified to this class compete for class bandwidth. For some connections, it is desirable to be able to specify a per-connection bandwidth, i.e., a guaranteed minimum bandwidth.

The session bandwidth engine 86 provides a guaranteed minimum bandwidth to a class. This is enabled by the class specification of a minimum bandwidth.

Referring to FIG. 6, a session bandwidth process 120 residing in the session bandwidth engine 86 includes classifying 122 a packet from a particular connection using filter lookup or hash lookup. A determination 124 is made whether the class has a guaranteed minimum bandwidth specified. If the class contains a guaranteed minimum bandwidth specification, a new class is generated 126 for the packet. The new class is said to be a child of the original class. Properties of the new class are inherited from the original class. The class bandwidth of the new class is set 128 to the guaranteed bandwidth of the original class. A filter specifically matching the connection's 5-tuple (a destination address, a destination port, source address, source port) is generated 130 so that subsequent packets from this connection will match this filter instead of the original

class filter. Since the dynamically generated class would only contain, at most, one connection, CBQ would guarantee this class to have at least its class bandwidth, or the specified guaranteed bandwidth. The dynamic class is also
5 said to borrow from its parent (the original class). This means the connection of the dynamic class can use excess bandwidth of its parent class.

When a class has a guaranteed minimum bandwidth, the system 16 needs to insure that the number of concurrently
10 active connections (n) in this class times the guaranteed minimum bandwidth does not exceed the class bandwidth. It is possible that the (n+1)th connection would arrive, but there is not enough bandwidth left for the bandwidth management system 16 to guarantee the minimum bandwidth. For this reason,
15 the processing system 38 includes the admission control engine 88.

Admission Control broadly refers to a policy decision applied initially to requests for controlling the admission of network traffic from outside a given administrative domain.

20 Admission control in the admission control engine 88 is enabled using an "admission" directive in a class specification. The types of admission control directives are "squeeze," "deny" or "drop." When the (n+1)th connection arrives and the class has no sufficient bandwidth left to
25 guarantee the minimum bandwidth, then admission control engine 82 activates. If the admission directive is squeeze, the connection is re-classified to match the "default" class of

general Class-Based Queuing (CBQ). If the admission directive is drop, the packets from this connection are silently dropped. If the admission directive is deny, and the connection is a TCP connection, the admission control engine 88 generates a TCP reset packet as a reply for the connection request SYN packet. If the connection has to be denied and the protocol used is not TCP then this connection is silently dropped.

Referring to FIG. 7, an admission control process 150 residing in the admission control engine 88 includes receiving 152 a connection. A determination 154 of the class of the connection is made. A determination 156 is made as to whether there is sufficient bandwidth for the class to guarantee a minimum bandwidth. If there is sufficient bandwidth, the packet is placed 158 in the CBQ queue, following the session bandwidth process 120 (of FIG. 6). If there is not sufficient bandwidth to guarantee minimum bandwidth, a determination 160 is made as to whether the admission directive is squeeze. If the admission directive is squeeze, the packet is reclassified 162 to default class and placed in the CBQ queue through the session bandwidth module. A determination 164 is made as to whether the admission directive is drop or if the traffic is non-TCP. If the admission directive is a drop or the Traffic is non-TCP, then the connection is dropped 166. A determination 168 is made on whether or not the admission directive is deny, the connection is a TCP connection, and the

packet is a connection request (SYN) packet 168. If so, a TCP reset packet is generated 170.

A number of embodiments of the invention have been described. Nevertheless, it will be understood that various
5 modifications may be made without departing from the spirit and scope of the invention. Accordingly, other embodiments are within the scope of the following claims.

WHAT IS CLAIMED IS:

1 1. A computer-implemented method of managing bandwidth:
2 receiving packets on an input port;
3 classifying received packets in a classification
4 engine;
5 processing the classified packets in a processing
6 system; and
7 queuing packets in a queuing engine.

1 2. The computer-implemented method of claim 1 wherein
2 the packets comprise network packets.

1 3. The computer-implemented method of claim 2 wherein
2 the network packets comprise traffic types.

1 4. The computer-implement method of claim 3 wherein the
2 traffic types comprise wide area network (WAN) traffic
3 destined for a local area network (LAN).

1 5. The computer-implemented method of claim 3 wherein
2 the traffic types comprise local area network (LAN) traffic
3 destined for a wide area network (WAN).

1 6. The computer-implemented method of claim 1 wherein
2 classifying comprises:
3 generating hash values based on components of the
4 network packets; and

5 determining corresponding classes for the hash
6 values.

1 7. The computer-implemented method of claim 6 wherein
2 the components comprise 5-tuples.

1 8. The computer-implemented method of claim 7 wherein
2 the 5-tuples comprise destination addresses, destination
3 ports, source addresses, source ports and protocol numbers.

1 9. The computer-implemented method of claim 1 wherein
2 processing system comprises rate shaping packet processing.

1 10. The computer-implemented method of claim 9 wherein
2 rate-shaping processing comprises:

3 determining whether class borrowing is enabled for
4 the class assigned to the packet;

5 determining an advertised window size for a class
6 that has class borrowing disabled by the algorithm:

$$C = B / (n) (D)$$

8 where C is the capacity of the class, B is the class
9 bandwidth, n is the number of currently active connections and
10 D is an estimate of round trip time of the connection; and

11 determining an advertised window size for a class
12 that has class borrowing enabled by the algorithm:

$$C = B' / (n) (D)$$

14 where B' is the maximum of class bandwidth and burst
15 bandwidth.

1 11. The computer-implemented method of claim 1 wherein
2 processing comprises session bandwidth packet processing.

1 12. The computer-implemented method of claim 1 wherein
2 session bandwidth packet processing comprises:

3 generating a new class for the packet class if a
4 packet class specifies a guaranteed minimum bandwidth;
5 assigning the new class the guaranteed minimum
6 bandwidth; and
7 generating a 5-tuple filter for the new class.

1 13. The computer-implemented method of claim 12 wherein
2 the 5-tuple filter comprises a destination address of the
3 packet, a destination port of the packet, a source address of
4 the packet, a source port and a protocol of the packet.

1 14. The computer-implemented method of claim 1 wherein
2 processing comprises admission control packet processing.

1 15. The computer-implemented method of claim 1 wherein
2 admission control packet processing comprises session:
3 receiving a connection;
4 determining a class for the connection;
5 determining whether there is sufficient bandwidth
6 for the class to guarantee a minimum bandwidth;
7 determining an admission directive from the class;
8 and

9 processing the packets in the connection in response
10 to the admission directive.

1 16. The computer-implemented method of claim 15 wherein
2 the admission directive is squeeze.

1 17. The computer-implemented claim of 16 wherein
2 processing comprises reclassifying the packet to a default
3 class.

1 18. The computer-implemented method of claim 15 wherein
2 the admission directive is drop.

1 19. The computer-implemented claim of 18 wherein
2 processing comprises dropping the connection.

1 20. The computer-implemented method of claim 15 wherein
2 the admission directive is deny.

1 21. The computer-implemented claim of 20 wherein
2 processing comprises generating a reset packet.

1 22. The computer-implemented method of claim 1 wherein
2 processing comprises type of service (TOS) packet processing.

1 23. The computer-implemented method of claim 1 wherein
2 TOS packet processing comprises changing TOS values to match
3 underlying application.

1 24. The computer-implemented method of claim 1 wherein
2 processing comprises:

3 session bandwidth packet processing;
4 rate shaping packet processing;
5 admission control packet processing; and
6 TOS packet processing.

1 25. The computer-implemented method of claim 1 wherein
2 queuing comprises placing processed packets in queues
3 according to classes.

1 26. A bandwidth management system comprising:
2 an input port, the input port connected to a
3 classification engine;
4 a processing engine, the processing engine connected
5 to the classification engine; and
6 a queuing engine connected to the processing engine
7 and to an output port.

1 27. The bandwidth management system of claim 26 wherein
2 the processing engine comprises:

3 session bandwidth engine.
4 a rate-shaping engine;
5 an admission control engine; and
6 TOS processing engine.

1 28. The bandwidth management system of claim 26 further
2 comprising a policy manager connected to the processing and
3 queuing engine.

1 29. The bandwidth management system of claim 28 wherein
2 the policy manager is an input device providing parameters.

1 30. The bandwidth management system of claim 29 wherein
2 the parameters comprise a class bandwidth and class priority.

1 31. A computer-implemented method of managing bandwidth
2 comprising:

3 classifying network packets according to traffic
4 types for placement in class queues;
5 generating parent classes for each class;
6 allocating parent bandwidths to the parent classes;
7 assigning a parent priorities to the parent classes;
8 generating sub-parent classes for each parent class;

9 and

10 providing a minimum bandwidth to the sub-parent
11 classes.

1 32. The computer-implemented method of claim 31 wherein
2 the minimum bandwidth is the parent bandwidth.

1 33. The computer-implemented method of claim 31 wherein
2 the sub-parent classes borrow bandwidth from the parent class.

1 34. The computer-implemented method of claim 31 further
2 comprising processing the packets in a connection in response
3 to an admission directive.

1 35. The computer-implemented method of claim 34 wherein
2 the admission directive is squeeze.

1 36. The computer-implemented claim of 35 wherein
2 processing comprises reclassifying the packet to a default
3 class.

1 37. The computer-implemented method of claim 34 wherein
2 the admission directive is drop.

1 38. The computer-implemented claim of 37 wherein
2 processing comprises dropping the connection.

1 39. The computer-implemented method of claim 34 wherein
2 the admission directive is deny.

1 40. The computer-implemented of claim 39 wherein
2 processing comprises generating a reset packet.

1 41. The computer-implemented method of claim 1 further
2 comprising receiving parameters from a policy manager.

1 42. The computer-implemented method of claim 41 wherein
2 the parameters comprise a class bandwidth and a class
3 priority.

1 43. The computer-implemented method of claim 1 further
2 comprising:

3 queuing the processed packets in a queuing engine;
4 and
5 scheduling the queued packets on an output port.

44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
223

ABSTRACT

A method of managing bandwidth including receiving packets on an input port, classifying the packets in a classification engine, processing the packets in a processing engine, queuing the packets in a queuing engine, and scheduling the packets on an output port.

20059421.doc

10




FIG. 1




FIG. 2




FIG. 3




Fig. 4

100




FIG. 5




FIG. 6




FIG. 7

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled, the specification of which:

- ☒ is attached hereto.
☐ was filed on _ as Application Serial No. _ and was amended on _____.
☐ was described and claimed in PCT International Application No. _____ filed on _____ and as amended under PCT Article 19 on _____.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information I know to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim the benefit under Title 35, United States Code, §119(e)(1) of any United States provisional application(s) listed below:

U.S. Serial No.	Filing Date	Status
60/171,321	December 21, 1999	Pending

I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Eric L. Prah, Reg. No. 32,590
 Kenneth F. Kozik, Reg. No. 36,572.

Denis G. Maloney, Reg. No. 29,670
 David L. Feigenbaum, Reg. No. 30,378

Address all telephone calls to ERIC L. PRAHL at telephone number (617) 542-5070.

Address all correspondence to ERIC L. PRAHL at:

FISH & RICHARDSON P.C.
 225 Franklin Street
 Boston, MA 02110-2804

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full Name of Inventor: Santa Wiryaman

Inventor's Signature: Santa Wiryaman
 Residence Address: 8 Abernathy Road, Lexington, MA 02420
 Citizenship: Indonesia
 Post Office Address: Same as above

Date: 7/5/2000

Attorney's Docket No.: 09150-012001
Client's Ref. No.:

Combined Declaration and Power of Attorney
Page 2 of 2 Pages


Full Name of Inventor: David A. Romrell

Inventor's Signature:

Residence Address:

Citizenship:

Post Office Address:



548 N.E. Amanda Place, Hillsboro, OR 97124

United States

Same as above

Date:

7/6/2000

0068553.doc

0068553.doc